

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害附填補の金額が3万円又は共済価額の20分の1 | 0.106 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.160 | 0.160 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.157 | 0.157 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.154 | 0.154 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.152 | 0.152 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.149 | 0.149 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.146 | 0.146 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.144 | 0.144 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.141 | 0.141 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.138 | 0.138 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.136 | 0.136 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.133 | 0.133 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.130 | 0.130 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.127 | 0.127 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.125 | 0.125 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.122 | 0.122 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.119 | 0.119 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.117 | 0.117 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.114 | 0.114 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.111 | 0.111 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.109 | 0.109 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.106 | 0.106 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.103 | 0.103 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.101 | 0.101 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.098 | 0.098 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.095 | 0.095 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.093 | 0.093 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.090 | 0.090 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.087 | 0.087 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.085 | 0.085 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.082 | 0.082 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.079 | 0.079 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.076 | 0.076 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.074 | 0.074 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.071 | 0.071 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.068 | 0.068 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.066 | 0.066 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.063 | 0.063 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.060 | 0.060 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.058 | 0.058 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.055 | 0.055 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.053 | 0.053 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害附填補の金額が10万円 | 0.081 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.122 | 0.122 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.120 | 0.120 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.118 | 0.118 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.116 | 0.116 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.114 | 0.114 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.112 | 0.112 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.110 | 0.110 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.108 | 0.108 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.106 | 0.106 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.104 | 0.104 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.102 | 0.102 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.099 | 0.099 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.097 | 0.097 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.095 | 0.095 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.093 | 0.093 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.091 | 0.091 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.089 | 0.089 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.087 | 0.087 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.085 | 0.085 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.083 | 0.083 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.081 | 0.081 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.079 | 0.079 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.077 | 0.077 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.075 | 0.075 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.073 | 0.073 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.071 | 0.071 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.069 | 0.069 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.067 | 0.067 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.065 | 0.065 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.063 | 0.063 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.060 | 0.060 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.058 | 0.058 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.056 | 0.056 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.054 | 0.054 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.052 | 0.052 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.050 | 0.050 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.048 | 0.048 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.046 | 0.046 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.044 | 0.044 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.042 | 0.042 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.041 | 0.041 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害附填補の金額が20万円 | 0.067 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.101 | 0.101 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.099 | 0.099 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.098 | 0.098 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.096 | 0.096 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.094 | 0.094 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.092 | 0.092 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.091 | 0.091 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.089 | 0.089 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.087 | 0.087 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.086 | 0.086 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.084 | 0.084 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.082 | 0.082 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.081 | 0.081 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.079 | 0.079 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.077 | 0.077 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.075 | 0.075 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.074 | 0.074 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.072 | 0.072 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.070 | 0.070 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.069 | 0.069 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.067 | 0.067 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.065 | 0.065 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.064 | 0.064 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.062 | 0.062 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.060 | 0.060 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.059 | 0.059 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.057 | 0.057 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.055 | 0.055 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.053 | 0.053 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.052 | 0.052 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.050 | 0.050 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.048 | 0.048 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.047 | 0.047 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.045 | 0.045 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.043 | 0.043 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.042 | 0.042 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.040 | 0.040 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.038 | 0.038 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.036 | 0.036 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.035 | 0.035 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.034 | 0.034 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が50万 | 0.055 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.083 | 0.083 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.081 | 0.081 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.080 | 0.080 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.079 | 0.079 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.077 | 0.077 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.076 | 0.076 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.074 | 0.074 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.073 | 0.073 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.072 | 0.072 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.070 | 0.070 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.069 | 0.069 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.068 | 0.068 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.066 | 0.066 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.065 | 0.065 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.063 | 0.063 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.062 | 0.062 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.061 | 0.061 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.059 | 0.059 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.058 | 0.058 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.056 | 0.056 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.055 | 0.055 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.054 | 0.054 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.052 | 0.052 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.051 | 0.051 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.049 | 0.049 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.048 | 0.048 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.047 | 0.047 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.045 | 0.045 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.044 | 0.044 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.042 | 0.042 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.041 | 0.041 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.040 | 0.040 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.038 | 0.038 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.037 | 0.037 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.036 | 0.036 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.034 | 0.034 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.033 | 0.033 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.031 | 0.031 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.030 | 0.030 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.029 | 0.029 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.028 | 0.028 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設及び附帯施設に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.025 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.038 | 0.038 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.037 | 0.037 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.036 | 0.036 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.036 | 0.036 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.035 | 0.035 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.034 | 0.034 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.034 | 0.034 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.033 | 0.033 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.033 | 0.033 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.032 | 0.032 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.031 | 0.031 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.031 | 0.031 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.030 | 0.030 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.029 | 0.029 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.029 | 0.029 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.028 | 0.028 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.028 | 0.028 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.027 | 0.027 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.026 | 0.026 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.026 | 0.026 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.025 | 0.025 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.024 | 0.024 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.024 | 0.024 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.023 | 0.023 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.022 | 0.022 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.022 | 0.022 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.021 | 0.021 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.021 | 0.021 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.020 | 0.020 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.019 | 0.019 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.019 | 0.019 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.018 | 0.018 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.017 | 0.017 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.017 | 0.017 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.016 | 0.016 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.016 | 0.016 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.015 | 0.015 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.014 | 0.014 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.014 | 0.014 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.013 | 0.013 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.013 | 0.013 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|------------|---|-------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害附填補の金額が3万円又は共済価額の20分の1 | 0.968 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------|------------------|----------------|
| 20 | 197.5 ≧ * | 3.013 | 1.458 | 1.458 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 1.434 | 1.434 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 1.409 | 1.409 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 1.385 | 1.385 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 1.360 | 1.360 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 1.336 | 1.336 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 1.311 | 1.311 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 1.287 | 1.287 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 1.262 | 1.262 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 1.238 | 1.238 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 1.213 | 1.213 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 1.189 | 1.189 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 1.164 | 1.164 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 1.140 | 1.140 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 1.115 | 1.115 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 1.091 | 1.091 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 1.066 | 1.066 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 1.042 | 1.042 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 1.017 | 1.017 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.993 | 0.993 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.968 | 0.968 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.943 | 0.943 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.919 | 0.919 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.894 | 0.894 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.870 | 0.870 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.845 | 0.845 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.821 | 0.821 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.796 | 0.796 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.772 | 0.772 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.747 | 0.747 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.723 | 0.723 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.698 | 0.698 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.674 | 0.674 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.649 | 0.649 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.625 | 0.625 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.600 | 0.600 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.576 | 0.576 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.551 | 0.551 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.527 | 0.527 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.502 | 0.502 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.484 | 0.484 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--------------------------------------|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害附填補の金額が10万円 | 0.959 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 1.445 | 1.445 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 1.420 | 1.420 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 1.396 | 1.396 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 1.372 | 1.372 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 1.347 | 1.347 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 1.323 | 1.323 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 1.299 | 1.299 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 1.275 | 1.275 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 1.250 | 1.250 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 1.226 | 1.226 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 1.202 | 1.202 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 1.178 | 1.178 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 1.153 | 1.153 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 1.129 | 1.129 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 1.105 | 1.105 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 1.080 | 1.080 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 1.056 | 1.056 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 1.032 | 1.032 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 1.008 | 1.008 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.983 | 0.983 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.959 | 0.959 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.935 | 0.935 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.910 | 0.910 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.886 | 0.886 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.862 | 0.862 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.838 | 0.838 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.813 | 0.813 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.789 | 0.789 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.765 | 0.765 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.740 | 0.740 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.716 | 0.716 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.692 | 0.692 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.668 | 0.668 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.643 | 0.643 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.619 | 0.619 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.595 | 0.595 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.571 | 0.571 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.546 | 0.546 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.522 | 0.522 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.498 | 0.498 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.480 | 0.480 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|------------|--------------------------------------|-------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害附填補の金額が20万円 | 0.890 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別基準共済掛金率 (%) | 危険段階別共済掛金率 (%) |
|--------|-------------------|-------------|------------------|----------------|
| 20 | 197.5 ≧ * | 3.013 | 1.341 | 1.341 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 1.318 | 1.318 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 1.296 | 1.296 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 1.273 | 1.273 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 1.251 | 1.251 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 1.228 | 1.228 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 1.205 | 1.205 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 1.183 | 1.183 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 1.160 | 1.160 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 1.138 | 1.138 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 1.115 | 1.115 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 1.093 | 1.093 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 1.070 | 1.070 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 1.048 | 1.048 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 1.025 | 1.025 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 1.003 | 1.003 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.980 | 0.980 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.958 | 0.958 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.935 | 0.935 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.913 | 0.913 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.890 | 0.890 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.867 | 0.867 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.845 | 0.845 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.822 | 0.822 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.800 | 0.800 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.777 | 0.777 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.755 | 0.755 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.732 | 0.732 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.710 | 0.710 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.687 | 0.687 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.665 | 0.665 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.642 | 0.642 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.620 | 0.620 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.597 | 0.597 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.575 | 0.575 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.552 | 0.552 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.529 | 0.529 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.507 | 0.507 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.484 | 0.484 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.462 | 0.462 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.445 | 0.445 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|-------------------------------------|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害不填補の金額が50万 | 0.497 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * < 197.5 | 3.013 | 0.749 | 0.749 |
| 19 | 192.5 ≦ * < 192.5 | 2.962 | 0.736 | 0.736 |
| 18 | 187.5 ≦ * < 187.5 | 2.911 | 0.723 | 0.723 |
| 17 | 182.5 ≦ * < 182.5 | 2.861 | 0.711 | 0.711 |
| 16 | 177.5 ≦ * < 177.5 | 2.81 | 0.698 | 0.698 |
| 15 | 172.5 ≦ * < 172.5 | 2.76 | 0.686 | 0.686 |
| 14 | 167.5 ≦ * < 167.5 | 2.709 | 0.673 | 0.673 |
| 13 | 162.5 ≦ * < 162.5 | 2.658 | 0.661 | 0.661 |
| 12 | 157.5 ≦ * < 157.5 | 2.608 | 0.648 | 0.648 |
| 11 | 152.5 ≦ * < 152.5 | 2.557 | 0.635 | 0.635 |
| 10 | 147.5 ≦ * < 147.5 | 2.506 | 0.623 | 0.623 |
| 9 | 142.5 ≦ * < 142.5 | 2.456 | 0.610 | 0.610 |
| 8 | 137.5 ≦ * < 137.5 | 2.405 | 0.598 | 0.598 |
| 7 | 132.5 ≦ * < 132.5 | 2.354 | 0.585 | 0.585 |
| 6 | 127.5 ≦ * < 127.5 | 2.304 | 0.572 | 0.572 |
| 5 | 122.5 ≦ * < 122.5 | 2.253 | 0.560 | 0.560 |
| 4 | 117.5 ≦ * < 117.5 | 2.203 | 0.547 | 0.547 |
| 3 | 112.5 ≦ * < 112.5 | 2.152 | 0.535 | 0.535 |
| 2 | 107.5 ≦ * < 107.5 | 2.101 | 0.522 | 0.522 |
| 1 | 102.5 ≦ * < 102.5 | 2.051 | 0.510 | 0.510 |
| 0 | 97.5 ≦ * < 97.5 | 2 | 0.497 | 0.497 |
| -1 | 92.5 ≦ * < 92.5 | 1.949 | 0.484 | 0.484 |
| -2 | 87.5 ≦ * < 87.5 | 1.899 | 0.472 | 0.472 |
| -3 | 82.5 ≦ * < 82.5 | 1.848 | 0.459 | 0.459 |
| -4 | 77.5 ≦ * < 77.5 | 1.797 | 0.447 | 0.447 |
| -5 | 72.5 ≦ * < 72.5 | 1.747 | 0.434 | 0.434 |
| -6 | 67.5 ≦ * < 67.5 | 1.696 | 0.422 | 0.422 |
| -7 | 62.5 ≦ * < 62.5 | 1.646 | 0.409 | 0.409 |
| -8 | 57.5 ≦ * < 57.5 | 1.595 | 0.396 | 0.396 |
| -9 | 52.5 ≦ * < 52.5 | 1.544 | 0.384 | 0.384 |
| -10 | 47.5 ≦ * < 47.5 | 1.494 | 0.371 | 0.371 |
| -11 | 42.5 ≦ * < 42.5 | 1.443 | 0.359 | 0.359 |
| -12 | 37.5 ≦ * < 37.5 | 1.392 | 0.346 | 0.346 |
| -13 | 32.5 ≦ * < 32.5 | 1.342 | 0.333 | 0.333 |
| -14 | 27.5 ≦ * < 27.5 | 1.291 | 0.321 | 0.321 |
| -15 | 22.5 ≦ * < 22.5 | 1.241 | 0.308 | 0.308 |
| -16 | 17.5 ≦ * < 17.5 | 1.19 | 0.296 | 0.296 |
| -17 | 12.5 ≦ * < 12.5 | 1.139 | 0.283 | 0.283 |
| -18 | 7.5 ≦ * < 7.5 | 1.089 | 0.271 | 0.271 |
| -19 | 2.5 ≦ * < 2.5 | 1.038 | 0.258 | 0.258 |
| -20 | 0 ≦ * < 0 | 1 | 0.249 | 0.249 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---------------------------------------|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有一般//小損害不填補の金額が100万円 | 0.224 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.337 | 0.337 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.332 | 0.332 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.326 | 0.326 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.320 | 0.320 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.315 | 0.315 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.309 | 0.309 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.303 | 0.303 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.298 | 0.298 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.292 | 0.292 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.286 | 0.286 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.281 | 0.281 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.275 | 0.275 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.269 | 0.269 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.264 | 0.264 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.258 | 0.258 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.252 | 0.252 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.247 | 0.247 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.241 | 0.241 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.235 | 0.235 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.230 | 0.230 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.224 | 0.224 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.218 | 0.218 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.213 | 0.213 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.207 | 0.207 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.201 | 0.201 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.196 | 0.196 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.190 | 0.190 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.184 | 0.184 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.179 | 0.179 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.173 | 0.173 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.167 | 0.167 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.162 | 0.162 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.156 | 0.156 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.150 | 0.150 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.145 | 0.145 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.139 | 0.139 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.133 | 0.133 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.128 | 0.128 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.122 | 0.122 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.116 | 0.116 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.112 | 0.112 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害 附填補の金額が3万円又は共済価額の20分の1 | 0.095 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.143 | 0.143 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.141 | 0.141 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.138 | 0.138 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.136 | 0.136 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.133 | 0.133 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.131 | 0.131 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.129 | 0.129 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.126 | 0.126 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.124 | 0.124 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.121 | 0.121 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.119 | 0.119 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.117 | 0.117 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.114 | 0.114 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.112 | 0.112 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.109 | 0.109 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.107 | 0.107 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.105 | 0.105 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.102 | 0.102 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.100 | 0.100 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.097 | 0.097 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.095 | 0.095 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.093 | 0.093 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.090 | 0.090 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.088 | 0.088 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.085 | 0.085 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.083 | 0.083 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.081 | 0.081 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.078 | 0.078 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.076 | 0.076 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.073 | 0.073 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.071 | 0.071 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.069 | 0.069 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.066 | 0.066 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.064 | 0.064 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.061 | 0.061 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.059 | 0.059 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.057 | 0.057 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.054 | 0.054 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.052 | 0.052 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.049 | 0.049 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.048 | 0.048 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率 (%) |
|------------|--|-------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害 附填補の金額が10万円 | 0.094 |

| 危険段階区分 | 平均損害率(*)の範囲 (%) | 危険指数 | 危険段階別 基準共済掛金率 (%) | 危険段階別 共済掛金率 (%) |
|--------|-------------------|-------------|----------------------|--------------------|
| 20 | 197.5 ≧ * | 3.013 | 0.142 | 0.142 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.139 | 0.139 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.137 | 0.137 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.134 | 0.134 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.132 | 0.132 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.130 | 0.130 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.127 | 0.127 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.125 | 0.125 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.123 | 0.123 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.120 | 0.120 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.118 | 0.118 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.115 | 0.115 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.113 | 0.113 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.111 | 0.111 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.108 | 0.108 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.106 | 0.106 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.104 | 0.104 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.101 | 0.101 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.099 | 0.099 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.096 | 0.096 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.094 | 0.094 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.092 | 0.092 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.089 | 0.089 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.087 | 0.087 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.084 | 0.084 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.082 | 0.082 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.080 | 0.080 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.077 | 0.077 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.075 | 0.075 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.073 | 0.073 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.070 | 0.070 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.068 | 0.068 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.065 | 0.065 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.063 | 0.063 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.061 | 0.061 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.058 | 0.058 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.056 | 0.056 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.054 | 0.054 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.051 | 0.051 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.049 | 0.049 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.047 | 0.047 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害 附填補の金額が20万円 | 0.087 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.131 | 0.131 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.129 | 0.129 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.127 | 0.127 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.124 | 0.124 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.122 | 0.122 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.120 | 0.120 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.118 | 0.118 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.116 | 0.116 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.113 | 0.113 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.111 | 0.111 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.109 | 0.109 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.107 | 0.107 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.105 | 0.105 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.102 | 0.102 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.100 | 0.100 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.098 | 0.098 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.096 | 0.096 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.094 | 0.094 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.091 | 0.091 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.089 | 0.089 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.087 | 0.087 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.085 | 0.085 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.083 | 0.083 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.080 | 0.080 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.078 | 0.078 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.076 | 0.076 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.074 | 0.074 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.072 | 0.072 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.069 | 0.069 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.067 | 0.067 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.065 | 0.065 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.063 | 0.063 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.061 | 0.061 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.058 | 0.058 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.056 | 0.056 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.054 | 0.054 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.052 | 0.052 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.050 | 0.050 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.047 | 0.047 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.045 | 0.045 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.044 | 0.044 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---------------------------------------|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害不填補の金額が50万 | 0.048 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.072 | 0.072 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.071 | 0.071 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.070 | 0.070 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.069 | 0.069 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.067 | 0.067 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.066 | 0.066 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.065 | 0.065 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.064 | 0.064 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.063 | 0.063 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.061 | 0.061 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.060 | 0.060 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.059 | 0.059 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.058 | 0.058 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.057 | 0.057 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.055 | 0.055 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.054 | 0.054 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.053 | 0.053 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.052 | 0.052 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.050 | 0.050 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.049 | 0.049 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.048 | 0.048 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.047 | 0.047 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.046 | 0.046 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.044 | 0.044 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.043 | 0.043 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.042 | 0.042 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.041 | 0.041 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.039 | 0.039 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.038 | 0.038 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.037 | 0.037 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.036 | 0.036 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.035 | 0.035 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.033 | 0.033 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.032 | 0.032 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.031 | 0.031 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.030 | 0.030 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.029 | 0.029 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.027 | 0.027 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.026 | 0.026 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.025 | 0.025 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.024 | 0.024 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/施設内農作物有事故除外//小損害不填補の金額が100万円 | 0.023 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.035 | 0.035 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.034 | 0.034 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.033 | 0.033 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.033 | 0.033 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.032 | 0.032 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.032 | 0.032 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.031 | 0.031 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.031 | 0.031 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.030 | 0.030 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.029 | 0.029 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.029 | 0.029 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.028 | 0.028 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.028 | 0.028 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.027 | 0.027 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.026 | 0.026 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.026 | 0.026 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.025 | 0.025 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.025 | 0.025 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.024 | 0.024 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.024 | 0.024 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.023 | 0.023 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.022 | 0.022 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.022 | 0.022 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.021 | 0.021 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.021 | 0.021 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.020 | 0.020 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.020 | 0.020 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.019 | 0.019 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.018 | 0.018 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.018 | 0.018 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.017 | 0.017 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.017 | 0.017 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.016 | 0.016 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.015 | 0.015 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.015 | 0.015 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.014 | 0.014 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.014 | 0.014 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.013 | 0.013 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.013 | 0.013 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.012 | 0.012 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.012 | 0.012 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害附填補の金額が3万円又は共済価額の20分の1 | 0.021 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.032 | 0.032 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.031 | 0.031 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.031 | 0.031 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.030 | 0.030 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.030 | 0.030 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.029 | 0.029 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.028 | 0.028 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.028 | 0.028 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.027 | 0.027 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.027 | 0.027 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.026 | 0.026 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.026 | 0.026 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.025 | 0.025 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.025 | 0.025 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.024 | 0.024 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.024 | 0.024 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.023 | 0.023 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.023 | 0.023 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.022 | 0.022 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.022 | 0.022 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.021 | 0.021 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.020 | 0.020 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.020 | 0.020 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.019 | 0.019 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.019 | 0.019 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.018 | 0.018 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.018 | 0.018 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.017 | 0.017 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.017 | 0.017 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.016 | 0.016 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.016 | 0.016 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.015 | 0.015 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.015 | 0.015 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.014 | 0.014 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.014 | 0.014 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.013 | 0.013 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.012 | 0.012 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.012 | 0.012 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.011 | 0.011 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.011 | 0.011 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.011 | 0.011 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害附填補の金額が10万円 | 0.016 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.024 | 0.024 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.024 | 0.024 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.023 | 0.023 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.023 | 0.023 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.022 | 0.022 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.022 | 0.022 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.022 | 0.022 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.021 | 0.021 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.021 | 0.021 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.020 | 0.020 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.020 | 0.020 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.020 | 0.020 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.019 | 0.019 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.019 | 0.019 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.018 | 0.018 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.018 | 0.018 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.018 | 0.018 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.017 | 0.017 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.017 | 0.017 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.016 | 0.016 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.016 | 0.016 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.016 | 0.016 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.015 | 0.015 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.015 | 0.015 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.014 | 0.014 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.014 | 0.014 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.014 | 0.014 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.013 | 0.013 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.013 | 0.013 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.012 | 0.012 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.012 | 0.012 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.012 | 0.012 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.011 | 0.011 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.011 | 0.011 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.010 | 0.010 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.010 | 0.010 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.010 | 0.010 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.009 | 0.009 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.009 | 0.009 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.008 | 0.008 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.008 | 0.008 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害附填補の金額が20万円 | 0.013 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.020 | 0.020 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.019 | 0.019 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.019 | 0.019 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.019 | 0.019 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.018 | 0.018 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.018 | 0.018 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.018 | 0.018 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.017 | 0.017 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.017 | 0.017 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.017 | 0.017 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.016 | 0.016 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.016 | 0.016 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.016 | 0.016 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.015 | 0.015 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.015 | 0.015 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.015 | 0.015 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.014 | 0.014 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.014 | 0.014 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.014 | 0.014 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.013 | 0.013 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.013 | 0.013 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.013 | 0.013 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.012 | 0.012 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.012 | 0.012 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.012 | 0.012 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.011 | 0.011 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.011 | 0.011 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.011 | 0.011 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.010 | 0.010 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.010 | 0.010 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.010 | 0.010 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.009 | 0.009 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.009 | 0.009 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.009 | 0.009 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.008 | 0.008 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.008 | 0.008 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.008 | 0.008 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.007 | 0.007 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.007 | 0.007 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.007 | 0.007 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.007 | 0.007 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が50万 | 0.011 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.017 | 0.017 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.016 | 0.016 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.016 | 0.016 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.016 | 0.016 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.015 | 0.015 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.015 | 0.015 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.015 | 0.015 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.015 | 0.015 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.014 | 0.014 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.014 | 0.014 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.014 | 0.014 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.014 | 0.014 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.013 | 0.013 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.013 | 0.013 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.013 | 0.013 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.012 | 0.012 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.012 | 0.012 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.012 | 0.012 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.012 | 0.012 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.011 | 0.011 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.011 | 0.011 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.011 | 0.011 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.010 | 0.010 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.010 | 0.010 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.010 | 0.010 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.010 | 0.010 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.009 | 0.009 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.009 | 0.009 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.009 | 0.009 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.008 | 0.008 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.008 | 0.008 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.008 | 0.008 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.008 | 0.008 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.007 | 0.007 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.007 | 0.007 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.007 | 0.007 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.007 | 0.007 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.006 | 0.006 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.006 | 0.006 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.006 | 0.006 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.006 | 0.006 |
| | 平均値 | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/特定園芸施設撤去費用額に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.006 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.009 | 0.009 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.009 | 0.009 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.009 | 0.009 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.009 | 0.009 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.008 | 0.008 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.008 | 0.008 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.008 | 0.008 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.008 | 0.008 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.008 | 0.008 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.008 | 0.008 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.008 | 0.008 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.007 | 0.007 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.007 | 0.007 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.007 | 0.007 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.007 | 0.007 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.007 | 0.007 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.007 | 0.007 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.006 | 0.006 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.006 | 0.006 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.006 | 0.006 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.006 | 0.006 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.006 | 0.006 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.006 | 0.006 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.006 | 0.006 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.005 | 0.005 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.005 | 0.005 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.005 | 0.005 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.005 | 0.005 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.005 | 0.005 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.005 | 0.005 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.004 | 0.004 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.004 | 0.004 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.004 | 0.004 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.004 | 0.004 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.004 | 0.004 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.004 | 0.004 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.004 | 0.004 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.003 | 0.003 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.003 | 0.003 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.003 | 0.003 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.003 | 0.003 |

平均値
2.00

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被覆期間/小損害附填補の金額が3万円又は共済価額の20分の1 | 0.102 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.154 | 0.154 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.151 | 0.151 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.148 | 0.148 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.146 | 0.146 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.143 | 0.143 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.141 | 0.141 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.138 | 0.138 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.136 | 0.136 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.133 | 0.133 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.130 | 0.130 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.128 | 0.128 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.125 | 0.125 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.123 | 0.123 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.120 | 0.120 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.117 | 0.117 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.115 | 0.115 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.112 | 0.112 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.110 | 0.110 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.107 | 0.107 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.105 | 0.105 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.102 | 0.102 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.099 | 0.099 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.097 | 0.097 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.094 | 0.094 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.092 | 0.092 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.089 | 0.089 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.087 | 0.087 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.084 | 0.084 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.081 | 0.081 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.079 | 0.079 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.076 | 0.076 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.074 | 0.074 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.071 | 0.071 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.068 | 0.068 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.066 | 0.066 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.063 | 0.063 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.061 | 0.061 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.058 | 0.058 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.056 | 0.056 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.053 | 0.053 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.051 | 0.051 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被覆期間/小損害附填補の金額が10万円 | 0.078 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.117 | 0.117 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.116 | 0.116 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.114 | 0.114 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.112 | 0.112 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.110 | 0.110 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.108 | 0.108 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.106 | 0.106 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.104 | 0.104 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.102 | 0.102 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.100 | 0.100 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.098 | 0.098 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.096 | 0.096 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.094 | 0.094 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.092 | 0.092 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.090 | 0.090 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.088 | 0.088 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.086 | 0.086 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.084 | 0.084 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.082 | 0.082 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.080 | 0.080 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.078 | 0.078 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.076 | 0.076 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.074 | 0.074 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.072 | 0.072 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.070 | 0.070 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.068 | 0.068 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.066 | 0.066 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.064 | 0.064 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.062 | 0.062 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.060 | 0.060 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.058 | 0.058 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.056 | 0.056 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.054 | 0.054 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.052 | 0.052 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.050 | 0.050 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.048 | 0.048 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.046 | 0.046 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.044 | 0.044 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.042 | 0.042 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.040 | 0.040 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.039 | 0.039 |
| | | 平均値 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|---|------------|
| ガラス室鉄骨(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被覆期間/小損害附填補の金額が20万円 | 0.064 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≧ * | 3.013 | 0.096 | 0.096 |
| 19 | 192.5 ≧ * < 197.5 | 2.962 | 0.095 | 0.095 |
| 18 | 187.5 ≧ * < 192.5 | 2.911 | 0.093 | 0.093 |
| 17 | 182.5 ≧ * < 187.5 | 2.861 | 0.092 | 0.092 |
| 16 | 177.5 ≧ * < 182.5 | 2.81 | 0.090 | 0.090 |
| 15 | 172.5 ≧ * < 177.5 | 2.76 | 0.088 | 0.088 |
| 14 | 167.5 ≧ * < 172.5 | 2.709 | 0.087 | 0.087 |
| 13 | 162.5 ≧ * < 167.5 | 2.658 | 0.085 | 0.085 |
| 12 | 157.5 ≧ * < 162.5 | 2.608 | 0.083 | 0.083 |
| 11 | 152.5 ≧ * < 157.5 | 2.557 | 0.082 | 0.082 |
| 10 | 147.5 ≧ * < 152.5 | 2.506 | 0.080 | 0.080 |
| 9 | 142.5 ≧ * < 147.5 | 2.456 | 0.079 | 0.079 |
| 8 | 137.5 ≧ * < 142.5 | 2.405 | 0.077 | 0.077 |
| 7 | 132.5 ≧ * < 137.5 | 2.354 | 0.075 | 0.075 |
| 6 | 127.5 ≧ * < 132.5 | 2.304 | 0.074 | 0.074 |
| 5 | 122.5 ≧ * < 127.5 | 2.253 | 0.072 | 0.072 |
| 4 | 117.5 ≧ * < 122.5 | 2.203 | 0.070 | 0.070 |
| 3 | 112.5 ≧ * < 117.5 | 2.152 | 0.069 | 0.069 |
| 2 | 107.5 ≧ * < 112.5 | 2.101 | 0.067 | 0.067 |
| 1 | 102.5 ≧ * < 107.5 | 2.051 | 0.066 | 0.066 |
| 0 | 97.5 ≧ * < 102.5 | 2 | 0.064 | 0.064 |
| -1 | 92.5 ≧ * < 97.5 | 1.949 | 0.062 | 0.062 |
| -2 | 87.5 ≧ * < 92.5 | 1.899 | 0.061 | 0.061 |
| -3 | 82.5 ≧ * < 87.5 | 1.848 | 0.059 | 0.059 |
| -4 | 77.5 ≧ * < 82.5 | 1.797 | 0.058 | 0.058 |
| -5 | 72.5 ≧ * < 77.5 | 1.747 | 0.056 | 0.056 |
| -6 | 67.5 ≧ * < 72.5 | 1.696 | 0.054 | 0.054 |
| -7 | 62.5 ≧ * < 67.5 | 1.646 | 0.053 | 0.053 |
| -8 | 57.5 ≧ * < 62.5 | 1.595 | 0.051 | 0.051 |
| -9 | 52.5 ≧ * < 57.5 | 1.544 | 0.049 | 0.049 |
| -10 | 47.5 ≧ * < 52.5 | 1.494 | 0.048 | 0.048 |
| -11 | 42.5 ≧ * < 47.5 | 1.443 | 0.046 | 0.046 |
| -12 | 37.5 ≧ * < 42.5 | 1.392 | 0.045 | 0.045 |
| -13 | 32.5 ≧ * < 37.5 | 1.342 | 0.043 | 0.043 |
| -14 | 27.5 ≧ * < 32.5 | 1.291 | 0.041 | 0.041 |
| -15 | 22.5 ≧ * < 27.5 | 1.241 | 0.040 | 0.040 |
| -16 | 17.5 ≧ * < 22.5 | 1.19 | 0.038 | 0.038 |
| -17 | 12.5 ≧ * < 17.5 | 1.139 | 0.036 | 0.036 |
| -18 | 7.5 ≧ * < 12.5 | 1.089 | 0.035 | 0.035 |
| -19 | 2.5 ≧ * < 7.5 | 1.038 | 0.033 | 0.033 |
| -20 | 0 ≧ * < 2.5 | 1 | 0.032 | 0.032 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が50万 | 0.053 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.080 | 0.080 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.078 | 0.078 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.077 | 0.077 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.076 | 0.076 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.074 | 0.074 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.073 | 0.073 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.072 | 0.072 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.070 | 0.070 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.069 | 0.069 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.068 | 0.068 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.066 | 0.066 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.065 | 0.065 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.064 | 0.064 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.062 | 0.062 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.061 | 0.061 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.060 | 0.060 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.058 | 0.058 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.057 | 0.057 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.056 | 0.056 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.054 | 0.054 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.053 | 0.053 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.052 | 0.052 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.050 | 0.050 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.049 | 0.049 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.048 | 0.048 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.046 | 0.046 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.045 | 0.045 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.044 | 0.044 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.042 | 0.042 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.041 | 0.041 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.040 | 0.040 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.038 | 0.038 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.037 | 0.037 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.036 | 0.036 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.034 | 0.034 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.033 | 0.033 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.032 | 0.032 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.030 | 0.030 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.029 | 0.029 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.028 | 0.028 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.027 | 0.027 |
| | | 平均値 | | |
| | | 2.00 | | |

| | |
|-------|------------|
| 都道府県名 | 兵庫県 |
| 組合等名 | 南但広域行政事務組合 |
| 地域名 | |

| 共済目的の種類 | 共済掛金区分等 | 共済掛金標準率(%) |
|------------|--|------------|
| ガラス室木造(20) | ガラス室Ⅱ類(鉄骨)/園芸施設復旧費用額に係るもの/被覆期間/小損害不填補の金額が100万円 | 0.024 |

| 危険段階区分 | 平均損害率(*)の範囲(%) | 危険指数 | 危険段階別基準共済掛金率(%) | 危険段階別共済掛金率(%) |
|--------|-------------------|-------|-----------------|---------------|
| 20 | 197.5 ≦ * | 3.013 | 0.036 | 0.036 |
| 19 | 192.5 ≦ * < 197.5 | 2.962 | 0.036 | 0.036 |
| 18 | 187.5 ≦ * < 192.5 | 2.911 | 0.035 | 0.035 |
| 17 | 182.5 ≦ * < 187.5 | 2.861 | 0.034 | 0.034 |
| 16 | 177.5 ≦ * < 182.5 | 2.81 | 0.034 | 0.034 |
| 15 | 172.5 ≦ * < 177.5 | 2.76 | 0.033 | 0.033 |
| 14 | 167.5 ≦ * < 172.5 | 2.709 | 0.033 | 0.033 |
| 13 | 162.5 ≦ * < 167.5 | 2.658 | 0.032 | 0.032 |
| 12 | 157.5 ≦ * < 162.5 | 2.608 | 0.031 | 0.031 |
| 11 | 152.5 ≦ * < 157.5 | 2.557 | 0.031 | 0.031 |
| 10 | 147.5 ≦ * < 152.5 | 2.506 | 0.030 | 0.030 |
| 9 | 142.5 ≦ * < 147.5 | 2.456 | 0.029 | 0.029 |
| 8 | 137.5 ≦ * < 142.5 | 2.405 | 0.029 | 0.029 |
| 7 | 132.5 ≦ * < 137.5 | 2.354 | 0.028 | 0.028 |
| 6 | 127.5 ≦ * < 132.5 | 2.304 | 0.028 | 0.028 |
| 5 | 122.5 ≦ * < 127.5 | 2.253 | 0.027 | 0.027 |
| 4 | 117.5 ≦ * < 122.5 | 2.203 | 0.026 | 0.026 |
| 3 | 112.5 ≦ * < 117.5 | 2.152 | 0.026 | 0.026 |
| 2 | 107.5 ≦ * < 112.5 | 2.101 | 0.025 | 0.025 |
| 1 | 102.5 ≦ * < 107.5 | 2.051 | 0.025 | 0.025 |
| 0 | 97.5 ≦ * < 102.5 | 2 | 0.024 | 0.024 |
| -1 | 92.5 ≦ * < 97.5 | 1.949 | 0.023 | 0.023 |
| -2 | 87.5 ≦ * < 92.5 | 1.899 | 0.023 | 0.023 |
| -3 | 82.5 ≦ * < 87.5 | 1.848 | 0.022 | 0.022 |
| -4 | 77.5 ≦ * < 82.5 | 1.797 | 0.022 | 0.022 |
| -5 | 72.5 ≦ * < 77.5 | 1.747 | 0.021 | 0.021 |
| -6 | 67.5 ≦ * < 72.5 | 1.696 | 0.020 | 0.020 |
| -7 | 62.5 ≦ * < 67.5 | 1.646 | 0.020 | 0.020 |
| -8 | 57.5 ≦ * < 62.5 | 1.595 | 0.019 | 0.019 |
| -9 | 52.5 ≦ * < 57.5 | 1.544 | 0.019 | 0.019 |
| -10 | 47.5 ≦ * < 52.5 | 1.494 | 0.018 | 0.018 |
| -11 | 42.5 ≦ * < 47.5 | 1.443 | 0.017 | 0.017 |
| -12 | 37.5 ≦ * < 42.5 | 1.392 | 0.017 | 0.017 |
| -13 | 32.5 ≦ * < 37.5 | 1.342 | 0.016 | 0.016 |
| -14 | 27.5 ≦ * < 32.5 | 1.291 | 0.015 | 0.015 |
| -15 | 22.5 ≦ * < 27.5 | 1.241 | 0.015 | 0.015 |
| -16 | 17.5 ≦ * < 22.5 | 1.19 | 0.014 | 0.014 |
| -17 | 12.5 ≦ * < 17.5 | 1.139 | 0.014 | 0.014 |
| -18 | 7.5 ≦ * < 12.5 | 1.089 | 0.013 | 0.013 |
| -19 | 2.5 ≦ * < 7.5 | 1.038 | 0.012 | 0.012 |
| -20 | 0 ≦ * < 2.5 | 1 | 0.012 | 0.012 |
| | | 平均値 | | |
| | | 2.00 | | |